



RALLY COSTA DAURADA LEGEND REUS 2022

General Provisional RS ETAPA 1

www.iteriarc.com



RIUDECANYES 1

| POS | DORS | PILOT | COPILOT | VEHICLE | CL | GR | PEN | TOTAL | TC1.1 PK 1.252 | TC1.2 PK 2.282 | TC1.3 PK 3.579 | TC1.4 PK 4.33 | TC1.5 PK 5.432 | TC1.6 PK 6.424 | TC1.7 PK 7.256 | TC1.8 PK 8.434 | TC1.9 PK 9.422 | TC1.10 PK 11.772 | TC1.11 PK 13.469 | TC1.12 PK 14.304 | TC1.13 PK 15.118 | TC1.14 PK 15.523 | POS | DORS |
|-----|------|--------------------------|------------------------|-------------------------------|----|------------|-----|---------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-----|-----------|
| 1 | 29 | Aitor LLANOS MARTIN | Asier LLANOS ROJI | PEUGEOT 205 RALLY | RS | RS PRE93 5 | 0 | 54.0 | 0.7 | 0.4 | -0.2 | 0.3 | -0.7 | 0.3 | -0.9 | 2.1 | -0.9 | -1.2 | -0.4 | 0.1 | -0.5 | -0.1 | 1 | 29 |
| 2 | 28 | Joan GALTÉS JUNCA | Jordi GALTÉS JUNCA | BMW 325i | RS | RS PRE93 5 | 0 | 81.7 | -0.3 | -1.1 | -1.2 | -1.6 | -1.6 | 0.8 | 0.3 | 0.1 | -2.7 | -0.4 | -1.0 | 1.3 | -0.5 | 0.4 | 2 | 28 |
| 3 | 34 | Ruben ALONSO FABRA. | Oscar FERREIRA ALONSO | RENAULT 5 GT TURBO | RS | RS PRE85 3 | 0 | 122.1 | -1.1 | -0.2 | -2.5 | -3.3 | -2.3 | 1.6 | 0.3 | 2.6 | -0.2 | 0.5 | 5.3 | 2.6 | -0.3 | 0 | 3 | 34 |
| 4 | 25 | Narcis MARCÓ MELCIÓ | Claudia MARCÓ PALOU | VOLKSWAGEN GOLF GTI | RS | RS PRE85 2 | 0 | 212.2 | 0.3 | 0.5 | -0.3 | 0.6 | -0.1 | 2.5 | 5.0 | 4.2 | 5.7 | 1.3 | -0.4 | 1.1 | 0.1 | 0.4 | 4 | 25 |
| 5 | 35 | Borja RIGOL FERRER | Antoni MORAGAS SOLER | VOLKSWAGEN GOLF GTI 16V | RS | RS PRE93 5 | 0 | 262.7 | -0.2 | -0.5 | -2.1 | -1.3 | -0.3 | -0.6 | -0.9 | 0.6 | -2.0 | -0.6 | 8.6 | 1.3 | -0.1 | 0.6 | 5 | 35 |
| 6 | 33 | Jordi AURET COMPTE | Gil TARABAL SALA | PEUGEOT 205 GTI 1.9 | RS | RS PRE93 5 | 0 | 334.9 | 1.7 | 2.9 | 3.8 | 3.5 | 3.1 | 5.8 | 8.6 | 9.0 | 9.3 | 2.4 | 7.8 | 4.9 | 5.9 | 6.4 | 6 | 33 |
| 7 | 26 | Antonio CRUCES CORTES | Daniel CARMONA ROJAS | PEUGEOT 205 RALLY | RS | RS PRE93 5 | 0 | 679.7 | 9.8 | 9.1 | 15.9 | 23.0 | 33.8 | 39.2 | 42.6 | 44.6 | 45.1 | 41.7 | 37.2 | 37.3 | 37.7 | 39.9 | 7 | 26 |
| 8 | 27 | Roberto RUBERT MUNTAN | Juan ORTIZ MORENO | FORD ESCORT MK2 | RS | RS PRE85 3 | 0 | 723.3 | 3.0 | -0.6 | -1.6 | -0.5 | 0 | 5.1 | 7.3 | 10.2 | 9.4 | 6.3 | 4.6 | -1.1 | -2.1 | -2.6 | 8 | 27 |
| 9 | 36 | Miquel ALDANA RECHE | Carles ORRA BOIX | RENAULT CLIO 16V | RS | RS PRE93 5 | 0 | 737.9 | 2.1 | 4.0 | 3.1 | 3.3 | 3.1 | 7.0 | 10.3 | 10.2 | 8.5 | 4.2 | 10.6 | 0.1 | -0.5 | 0.4 | 9 | 36 |
| 10 | 32 | Joan J. GUILLAMET LAÍNEZ | Andres MALLADA ABELLÓ | RENAULT CLIO WILLIAMS | RS | RS PRE93 5 | 10 | 801.5 | 16.3 | 16.8 | 16.0 | 16.8 | 30.1 | 31.4 | 32.6 | 32.9 | 33.0 | 25.0 | 16.9 | 13.8 | 11.9 | 12.9 | 10 | 32 |
| 11 | 30 | Javier GUERRERO SANZ | Roger GRANDÍA BORRÁS | CITROËN ZX 16V | RS | RS PRE93 5 | 0 | 1075.6 | 2.5 | 1.3 | 1.0 | 1.2 | -0.7 | 4.8 | 10.6 | 14.5 | 17.4 | 20.2 | 19.7 | 22.9 | 26.2 | 28.3 | 11 | 30 |
| 12 | 31 | Pere GALIMANY ALVAREZ | Rafael MANERO SOLER | FIAT 131 SPORT | RS | RS PRE85 3 | 0 | 3059.3 | 6.7 | 7.6 | 24.1 | 31.8 | 41.8 | 54.4 | 65.4 | 73.0 | 79.9 | 86.1 | 85.6 | 88.3 | 89.0 | 91.0 | 12 | 31 |
| 13 | 37 | Xavier MARTOS MOLINA | Patricia PENTINAT RUIZ | FIAT AUTOBIANCHI A-112 ABARTH | RS | RS PRE85 3 | 0 | 4020.2 | 9.7 | 12.2 | 16.5 | 20.5 | 24.4 | 30.8 | 37.0 | 43.9 | 49.6 | 54.1 | 54.5 | 62.0 | 65.0 | 69.9 | 13 | 37 |



RALLY COSTA DAURADA LEGEND REUS 2022

General Provisional RS ETAPA 1

www.iteriarc.com



LA MUSSARA 1

FARENA 1

| POS | DORS | TC2.1 PK 0.999 | TC2.2 PK 1.836 | TC2.3 PK 2.453 | TC2.4 PK 3.209 | TC2.5 PK 4.103 | TC2.6 PK 5.063 | TC2.7 PK 5.759 | TC2.8 PK 6.405 | TC2.9 PK 7.386 | TC2.10 PK 8.216 | TC2.11 PK 8.904 | TC2.12 PK 9.734 | TC2.13 PK 10.092 | TC2.14 PK 10.203 | TC3.1 PK 1.023 | TC3.2 PK 1.863 | TC3.3 PK 2.558 | TC3.4 PK 3.001 | TC3.5 PK 4.023 | TC3.6 PK 4.734 | TC3.7 PK 5.831 | TC3.8 PK 6.89 | TC3.9 PK 7.515 | TC3.10 PK 8.54 | TC3.11 PK 8.863 | TC3.12 PK 9.256 | TC3.13 PK 9.364 | POS | DORS |
|-----|------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|--------------------|--------------------|--------------------|-----|------|
| 1 | 29 | -0.2 | 0.9 | -0.9 | 0 | -1.0 | 0.9 | 1.2 | 3.1 | -0.8 | 0.3 | -0.7 | 0.5 | -0.4 | 0.3 | 0.1 | 2.1 | 0.9 | -0.1 | -0.3 | 0.5 | 1.3 | -0.5 | -0.1 | -0.4 | -0.6 | 0 | 0.2 | 1 | 29 |
| 2 | 28 | 0 | 1.7 | 0.3 | 1.5 | -1.2 | 2.1 | 2.4 | 1.3 | -0.7 | 0.9 | 0.3 | 1.1 | -0.1 | 0.5 | -1.1 | 2.5 | -0.4 | -0.3 | 0.6 | 0.6 | 2.4 | -0.8 | -0.2 | -0.8 | -1.0 | 0.7 | 1.1 | 2 | 28 |
| 3 | 34 | -0.6 | 1.6 | -0.2 | 2.0 | 0 | 2.2 | 2.9 | 2.2 | 0.5 | 0.5 | 0.9 | 1.5 | 0.5 | 0.8 | -0.3 | 4.2 | 0.2 | 1.2 | 2.4 | 1.2 | 2.8 | 0.2 | 0.6 | 1.8 | 1.0 | 1.3 | 1.1 | 3 | 34 |
| 4 | 25 | -0.5 | 2.6 | -0.8 | 1.0 | -1.2 | 2.8 | 7.6 | 10.3 | 9.7 | 7.6 | 3.3 | 7.4 | 3.0 | 3.6 | 2.0 | 1.7 | -0.3 | -0.3 | 1.4 | 0 | -0.4 | -1.6 | -0.3 | -0.2 | -0.2 | -0.5 | -0.2 | 4 | 25 |
| 5 | 35 | -0.4 | 11.8 | 4.3 | 3.0 | -1.2 | 4.3 | 7.5 | 9.4 | 9.7 | 22.9 | 19.1 | 21.5 | 16.3 | 16.6 | 4.2 | 4.3 | 0.2 | 0.4 | 2.8 | -1.9 | 3.0 | 0.2 | -0.5 | -0.5 | 0.2 | -0.3 | -0.1 | 5 | 35 |
| 6 | 33 | 0.1 | 5.7 | 0.8 | 3.7 | -0.7 | 4.9 | 10.5 | 14.2 | 16.3 | 17.7 | 15.6 | 20.4 | 16.0 | 17.0 | 4.8 | 5.6 | 4.2 | 4.4 | 5.9 | 1.9 | 2.6 | 2.7 | 3.9 | -1.9 | 0.5 | 0.7 | 0.5 | 6 | 33 |
| 7 | 26 | -0.7 | 1.4 | -4.2 | 0 | -5.0 | 0.7 | 4.4 | 6.3 | 7.5 | 4.8 | 2.6 | 6.1 | 1.5 | 2.8 | 3.2 | 2.9 | -0.1 | 0.2 | 1.0 | -1.1 | -0.8 | -1.8 | -1.0 | -9.1 | -7.7 | -7.0 | -7.4 | 7 | 26 |
| 8 | 27 | -0.5 | 0.7 | -6.5 | -6.1 | -15.0 | -14.7 | -12.3 | -12.7 | -13.8 | -13.6 | -19.8 | -17.0 | -21.1 | -20.7 | 6.4 | 8.7 | 5.4 | 5.4 | 5.5 | 24.2 | 25.0 | 27.2 | 29.4 | 21.8 | 19.2 | 16.3 | 14.6 | 8 | 27 |
| 9 | 36 | 0.2 | 5.8 | 0.8 | 6.0 | -2.5 | 4.3 | 9.1 | 11.7 | 11.9 | 10.5 | 5.8 | 10.0 | 5.6 | 5.9 | 9.8 | 11.8 | 11.2 | 13.4 | 17.9 | 14.8 | 17.5 | 19.5 | 22.0 | 17.3 | 15.4 | 14.2 | 12.7 | 9 | 36 |
| 10 | 32 | -2.3 | -0.3 | -8.0 | -5.4 | -12.8 | 4.1 | 8.6 | 8.7 | 8.2 | 5.9 | 2.8 | 5.9 | 1.4 | 2.1 | 6.0 | 6.9 | 7.2 | 7.5 | 10.0 | 13.9 | 20.1 | 22.9 | 25.6 | 20.7 | 18.2 | 17.2 | 16.3 | 10 | 32 |
| 11 | 30 | 0.4 | 3.6 | -1.1 | 2.3 | -2.7 | 3.8 | 9.3 | 13.4 | 14.8 | 18.3 | 11.8 | 16.9 | 12.6 | 13.5 | 7.4 | 10.2 | 8.5 | 10.2 | 14.4 | 11.9 | 16.5 | 20.3 | 24.5 | 19.7 | 17.0 | 15.7 | 14.1 | 11 | 30 |
| 12 | 31 | 5.0 | 13.1 | 10.9 | 17.9 | 11.9 | 21.3 | 29.5 | 36.5 | 41.9 | 42.3 | 41.7 | 48.5 | 45.9 | 46.9 | 13.0 | 18.4 | 19.3 | 23.8 | 30.1 | 27.7 | 29.6 | 31.2 | 34.0 | 30.0 | 27.1 | 23.8 | 23.9 | 12 | 31 |
| 13 | 37 | 4.2 | 8.5 | 4.5 | 10.4 | 6.0 | 54.3 | 63.6 | 84.0 | 95.1 | 101.6 | 102.3 | 110.7 | 110.2 | 112.7 | 8.4 | 13.9 | 16.1 | 19.6 | 30.1 | 28.7 | 33.0 | 37.6 | 41.3 | 40.0 | 39.0 | 38.4 | 38.2 | 13 | 37 |



RALLY COSTA DAURADA LEGEND REUS 2022

General Provisional RS ETAPA 1

www.iteriarc.com



RIUDECANYES 2

LA MUSSARA 2

| POS | DORS | RIUDECANYES 2 | | | | | | | | | | | | | | | | | | | | | | | | POS | DORS | | | | |
|-----|------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|-------|------|--------------------|--------------------|---------------------|---------------------|
| | | TC4.1 PK 1.252 | TC4.2 PK 2.282 | TC4.3 PK 3.579 | TC4.4 PK 4.33 | TC4.5 PK 5.432 | TC4.6 PK 6.424 | TC4.7 PK 7.256 | TC4.8 PK 8.434 | TC4.9 PK 9.422 | TC4.10 PK 11.772 | TC4.11 PK 13.469 | TC4.12 PK 14.304 | TC4.13 PK 15.118 | TC4.14 PK 15.523 | TC5.1 PK 0.999 | TC5.2 PK 1.836 | TC5.3 PK 2.453 | TC5.4 PK 3.209 | TC5.5 PK 4.103 | TC5.6 PK 5.063 | TC5.7 PK 5.759 | TC5.8 PK 6.405 | TC5.9 PK 7.386 | TC5.10 PK 8.216 | | | TC5.11 PK 8.904 | TC5.12 PK 9.734 | TC5.13 PK 10.092 | TC5.14 PK 10.203 |
| 1 | 29 | -1.1 | -0.6 | -0.7 | -0.6 | -0.2 | 0.7 | -0.3 | 1.0 | -0.5 | 0.3 | -0.3 | 1.1 | -0.2 | 0.3 | 0.5 | 1.3 | 0.6 | 0.2 | -0.6 | 1.6 | 0.4 | 0.5 | 0.1 | 1.1 | 0.1 | 1.2 | 0.8 | 0.6 | 1 | 29 |
| 2 | 28 | -1.1 | -0.3 | -0.8 | -1.5 | -1.8 | 1.3 | 1.4 | 0.8 | -0.9 | -0.4 | -0.6 | 1.2 | -0.9 | 0.6 | -0.1 | 2.3 | -0.1 | 0.7 | -1.5 | 1.5 | 3.3 | 2.8 | 0.4 | 0.6 | -0.4 | 0.9 | 0 | 1.6 | 2 | 28 |
| 3 | 34 | 1.4 | 1.0 | -1.2 | -1.3 | -1.2 | 0.7 | -0.5 | 1.3 | 0.1 | 1.4 | -0.6 | 1.4 | -0.7 | -0.8 | 1.6 | 3.8 | 2.9 | 4.0 | 1.7 | 3.1 | 2.8 | 2.8 | 2.2 | 2.5 | 2.4 | 3.1 | 2.0 | 2.7 | 3 | 34 |
| 4 | 25 | 2.2 | -0.1 | 0.4 | 2.5 | 2.1 | 5.0 | 8.8 | 9.7 | 11.3 | 8.6 | 3.6 | 4.9 | 3.6 | 4.0 | 0.9 | 2.7 | -0.4 | 2.6 | -3.5 | 0.2 | 3.6 | 5.8 | 6.6 | 4.6 | 1.5 | 6.1 | 1.8 | 2.1 | 4 | 25 |
| 5 | 35 | 0.9 | 0.1 | -1.9 | -1.9 | -1.6 | -1.7 | -1.4 | -2.7 | -4.6 | -3.9 | -0.8 | 1.5 | -0.1 | 0.1 | -0.2 | 3.0 | 1.3 | 2.6 | -0.2 | 3.6 | 6.0 | 6.5 | 5.6 | 1.1 | -0.8 | 0.4 | -0.5 | 0.4 | 5 | 35 |
| 6 | 33 | -0.1 | 1.1 | -0.3 | -0.4 | -1.4 | -0.6 | 2.3 | -0.8 | -0.5 | -0.5 | 0 | 2.0 | 1.8 | 2.6 | -1.3 | 0.4 | -6.1 | -3.9 | -6.6 | -0.7 | 4.3 | 6.2 | 6.9 | 5.7 | 2.9 | 6.3 | 1.7 | 2.1 | 6 | 33 |
| 7 | 26 | 0.1 | -2.0 | -2.1 | -1.6 | -0.6 | 1.1 | 3.4 | 1.3 | 1.7 | -2.3 | -7.4 | -7.8 | -7.1 | -6.5 | -1.8 | -1.3 | -6.3 | -3.3 | -9.7 | -4.3 | -0.6 | 1.9 | 3.6 | 1.6 | -1.1 | 3.0 | -1.3 | -0.5 | 7 | 26 |
| 8 | 27 | 4.7 | 1.2 | -0.5 | -0.1 | -1.0 | 2.0 | 4.8 | 5.0 | 6.5 | 2.1 | -4.3 | -5.2 | -6.3 | -6.7 | -1.2 | -0.4 | -6.9 | -7.7 | -15.5 | -10.9 | -7.0 | -4.9 | -4.6 | -5.2 | -9.8 | -6.3 | -11.3 | -10.6 | 8 | 27 |
| 9 | 36 | 3.1 | 7.4 | 8.1 | 10.1 | 10.9 | 14.6 | 19.5 | 20.1 | 23.5 | 24.2 | 20.2 | 22.1 | 22.9 | 24.0 | 0.1 | 2.9 | -3.4 | -0.8 | -8.2 | -2.1 | 4.2 | 7.3 | 9.7 | 8.8 | 6.0 | 11.8 | 7.4 | 8.2 | 9 | 36 |
| 10 | 32 | 2.0 | -1.5 | -1.8 | -3.0 | 0.4 | 1.6 | 3.5 | 3.9 | 3.7 | 1.5 | -6.0 | -5.3 | -5.0 | -4.9 | -0.9 | 1.5 | -2.5 | -2.0 | -10.5 | -9.5 | -5.3 | -5.2 | -6.0 | -7.9 | -12.8 | -9.6 | -14.2 | -13.9 | 10 | 32 |
| 11 | 30 | 2.8 | 1.3 | 3.8 | 5.8 | 5.8 | 10.4 | 15.9 | 19.2 | 22.1 | 25.1 | 22.4 | 25.1 | 27.2 | 29.0 | 0.8 | 4.7 | -0.8 | 2.7 | -2.5 | 4.2 | 10.9 | 13.9 | 17.7 | 17.7 | 14.9 | 21.6 | 17.7 | 18.5 | 11 | 30 |
| 12 | 31 | 11.7 | 16.6 | 25.6 | 31.9 | 39.3 | 52.7 | 61.9 | 65.0 | 68.7 | 72.8 | 72.7 | 75.3 | 76.5 | 77.3 | 3.0 | 9.6 | 5.2 | 9.8 | 4.3 | 11.2 | 18.1 | 23.6 | 28.0 | 28.5 | 27.6 | 34.5 | 30.2 | 30.8 | 12 | 31 |
| 13 | 37 | 9.7 | 11.6 | 33.7 | 44.8 | 50.6 | 61.1 | 77.3 | 94.8 | 116.4 | 148.2 | 162.0 | 169.9 | 176.4 | 178.9 | 9.8 | 17.0 | 15.2 | 21.8 | 20.3 | 29.4 | 36.2 | 41.9 | 46.4 | 48.6 | 47.8 | 55.1 | 52.6 | 53.4 | 13 | 37 |



RALLY COSTA DAURADA LEGEND REUS 2022

General Provisional RS ETAPA 1

www.iteriarc.com



FARENA 2

| POS | DORS | TC6.1 PK 1.023 | TC6.2 PK 1.863 | TC6.3 PK 2.558 | TC6.4 PK 3.001 | TC6.5 PK 4.023 | TC6.6 PK 4.734 | TC6.7 PK 5.831 | TC6.8 PK 6.89 | TC6.9 PK 7.515 | TC6.10 PK 8.54 | TC6.11 PK 8.863 | TC6.12 PK 9.256 | TC6.13 PK 9.364 | POS | DORS |
|-----|------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|--------------------|--------------------|--------------------|-----|------|
| 1 | 29 | 0.4 | 1.9 | 1.0 | 0.1 | 0 | 1.1 | 1.8 | -0.6 | -0.5 | 0.5 | 0.4 | 0.5 | 0.6 | 1 | 29 |
| 2 | 28 | -1.2 | 1.9 | -0.5 | -0.6 | 1.6 | 0.6 | 2.5 | -0.8 | -0.4 | -0.3 | 0.2 | 0.4 | 1.0 | 2 | 28 |
| 3 | 34 | -1.2 | 1.4 | -2.1 | -1.4 | -0.4 | -0.7 | 1.2 | -1.5 | -1.0 | -0.8 | -0.4 | -0.2 | -1.1 | 3 | 34 |
| 4 | 25 | 2.2 | 2.0 | -0.1 | 0 | 1.7 | 0.2 | 1.1 | 0.1 | 0.9 | -0.6 | -0.3 | -0.2 | -0.6 | 4 | 25 |
| 5 | 35 | 0.1 | 4.8 | 0 | 1.3 | 4.2 | 2.0 | 5.4 | 0.4 | -0.7 | 0.2 | 0.9 | 0.8 | 0.2 | 5 | 35 |
| 6 | 33 | 0 | -0.2 | -0.6 | 0 | 2.0 | -0.8 | 2.2 | -0.4 | -0.1 | -0.3 | -0.1 | 0.2 | -0.2 | 6 | 33 |
| 7 | 26 | 3.0 | 4.0 | 1.3 | 2.2 | 4.1 | 0.1 | 2.8 | 2.8 | 4.6 | -2.4 | -4.3 | -6.8 | -7.8 | 7 | 26 |
| 8 | 27 | 6.9 | 11.2 | 10.6 | 12.0 | 14.8 | 11.2 | 13.1 | 14.1 | 15.6 | 8.6 | 6.2 | 4.8 | 3.5 | 8 | 27 |
| 9 | 36 | 5.3 | 10.0 | 4.5 | 5.2 | 7.5 | 3.0 | 3.0 | 3.1 | 5.0 | -2.2 | -5.5 | -7.7 | -9.3 | 9 | 36 |
| 10 | 32 | 4.4 | 5.6 | 4.5 | 5.1 | 7.9 | 4.3 | 4.5 | 2.4 | 2.4 | -4.4 | -6.0 | -8.6 | -10.1 | 10 | 32 |
| 11 | 30 | 5.2 | 8.5 | 8.5 | 10.3 | 15.7 | 13.0 | 19.3 | 25.2 | 30.4 | 25.4 | 22.6 | 21.2 | 19.6 | 11 | 30 |
| 12 | 31 | 13.8 | 21.4 | 24.3 | 27.7 | 37.4 | 36.6 | 41.0 | 47.1 | 50.5 | 48.1 | 45.0 | 42.7 | 41.4 | 12 | 31 |
| 13 | 37 | 10.5 | 15.9 | 17.0 | 19.5 | 26.1 | 24.6 | 28.8 | 37.7 | 43.0 | 41.6 | 41.2 | 40.6 | 40.3 | 13 | 37 |